


MIST FANS COLLECTION





Height: 1.75m

Motor: 100% copper

Voltage: 220v Frequency: 50/60Hz Speed: 3

Color of the tank: blue or black

Tank capacity: 50L
Drop of temperature: 2-8°C
Spray effective distance: 10m

Air flow: 145m³/min Water flow (adjustable): 0-5L/H

Certificate: CE ROHS PSE SAA

Height: 1.75m

Motor: 100% copper

Voltage: 220v Frequency: 50/60Hz

Speed: 3

Color of the tank: black
Tank capacity: 41L
Drop of temperature: 2-8°C
Spray effective distance: 10m

Air flow: 145m³/min Water flow (adjustable): 0-5L/H

Certificate: CF ROHS PSF SAA



DB-26CF03

26" Centrifugal Mist Fan

DB-26CF01

26" Centrifugal Mist Fan

Height: 2m

Motor: 100% copper

Voltage: 220v
Frequency: 50/60Hz
Speed: 3

Color of the tank: blue or black

Tank capacity: 50L
Drop of temperature: 2-8°C
Spray effective distance: 10m

Air flow: 150m3/min Water flow (adjustable): 0-5L/H

Certificate: CE ROHS PSE SAA

Height: 1.95m

Motor: 100% copper

Voltage: 220v Frequency: 50/60Hz

Speed: 3
Color of the tank: black
Tank capacity: 41L
Drop of temperature: 2-8°C
Spray effective distance: 10m

Air flow: 145m³/min
Water flow (adjustable): 0-5L/H

Certificate: CE ROHS PSE SAA



DB-26CF02 26" Centrifugal Mist Fan **DB-26CF06**

26" Centrifugal Mist Fan



Height (adjustable): 1.65-1.95m Motor: 100% copper

Voltage: 220v Frequency: 50/60Hz

Speed: 3
Color of the tank: black
Tank capacity: 41L
Drop of temperature: 2-8°C
Spray effective distance: 10m

Air flow: 145m³/min

Water flow (adjustable): 0-5L/H

Certificate: CE ROHS PSE SAA

DB-26CF05 26" Centrifugal Mist Fan



Height (adjustable): 1.65-1.95m Motor: 100% copper

Voltage: 220v Frequency: 50/60Hz

Speed: 3
Color of the tank: black
Tank capacity: 41L
Drop of temperature: 2-8°C
Spray effective distance: 10m

Air flow: 145m³/min

Water flow (adjustable): 0-5L/H

Certificate: CE ROHS PSE SAA

Height (adjustable): 1.7-2.1m Motor: 100% copper

Voltage: 220v Frequency: 50/60Hz

Speed: 3

Color of the tank: black
Tank capacity: 49L
Spray effective distance: 15m

Water supply: can connect to tap water

Water flow (adjustable): 0-0.31/min Effective area: 30-50m²

Certificate: CE ROHS SAA SGS



DB-26HP01

26" High Pressure Mist Fan

Motor: 100% copper, strong

Voltage: 220v
Frequency: 50/60Hz
Power: 300W
Speed: 3

Blade: aluminium

Certificate: CE ROHS PSE SAA



DB-26CF09

26" Strong Centrifugal Mist Fan

DB-26CF05-RC

26" Centrifugal Mist Fan (Remote Control Type)



100% copper Motor:

220v Voltage: 50/60Hz Frequency:

Speed:

Blade: aluminium

Oscillating range: 90° 30° Fan tilt range: Drop of temperature: 2-8°C Spray effective distance: 1-10m Air flow: 145m³/min

Water supply: connect to tap water

Water flow (adjustable): 0-8L/H

Feature: mist switch, fan switch and

> mist volume controller are designed on the water tank

Certificate: CE ROHS PSE SAA

DB-26CF08

26" Centrifugal Wall Mist Fan

Cocoon Concept Ltd

Unit F 12/F Gee Tung Chang Industrial Bldg | 4 Fung Yip St | Siu Sai Wan | Hong Kong T (852) 2896 0600 | F (852) 2896 0200 info@cocoon-concept.com

WWW.COCOON-CONCEPT.COM