
# cocoon concept.





### **Technical Section**



Waterproof cover



Easy rib change



Raised wind valve



Split Solution (Anti-wind System)



Raingutter



Velcro



Double Pulley



Low Winch



High Winch (Anti-vandalic)



Telescopic



360° Rotation



180° Rotation



Base included



Ground anchor



Wall bracket




Strong wind resistance

























### **Fanette**

If you are looking for a traditional aesthetically refined model that is still practical and durable then the Fanette umbrella is your ideal solution. The lifted valve offers protection from sudden gusts of wind and creates its signature linear form. It is available in supported valve, lifted valve or Split Solution versions.












### Beale

The Beale is a classic central beam umbrella with updated features like its 12 reinforced aluminum splints and telescopic pole that allows it to open up to dimensions of 50 m2 under a single umbrella canopy. The telescopic system allows umbrella opening/closing without removing the chairs and tables underneath. Every rib is crafted from reinforced aluminum.











# Kyle

The Kyle is a tent-umbrella, a new concept that embodies the best qualities of a mountable tent but with the open/close easy of action of an umbrella. This even exempts it from the permits associated with permanent, gazebo and tent-like structures that need to be assembled and dismantled with each use. The sturdy construction, made entirely of zinc coated welded iron, allows the sheets to be closed using either Velcro or pulleys. This feature makes it the perfect solution for all seasons. These attributes, along with its patented electric opening mechanism and futuristic look, have earned the Kite recognition as the "future of outdoor umbrellas".















300x300 cm 350x350 cm 400x400 cm 450x450 cm 500x500 cm 600x600 cm











# Coyne

Our Coyne model is an Edengarden exclusive developed specifically for cafés and restaurants that line the narrow city streets in historic city centers such as Florence. The Coyne takes full advantage of your outdoor space. It has the smallest lateral footprint but allows a vast area of space to be covered, the perfect solution for those who need to shelter long narrow spaces.

### Standard





















175x450 cm 175x350 cm 150x325 cm

100x250 cm 125x250 cm 150x300 cm 125x350 cm 250x400 cm 200x500 cm 250x500 cm

175x250 cm 150x400 cm 200x300 cm 225x350 cm 200x400 cm

















# **Echo**

The **Echo** is characterized by its departure from traditional portable joists. This model is an attractive refined solution that can cover large elegant spaces. Our expert craftsmen make the arch entirely from iroko wood and its lamellar construction ensures maximum reliability and durability. Every single component is designed to enhance its weather resistance, but without compromising its aesthetic features.












# Telford

The Telford is a medium size umbrella with a lateral post. Thanks to its extreme versatility and ease of handling, it is suitable for both private and professional use. The vertical load bearing beam permits optimal usage of the area beneath, just as the possibility to rotate the base by 360° makes it possible to 'chase' the shade during the course of the day.







Standard

























200x300 cm 250x350 cm 300x400 cm 350x450 cm



300x300 cm 325x325 cm 350x350 cm 400x400 cm



Ø400 Ø450







# Telford Steel

Telford Steel is an umbrella with a simple elegant design. The clean lines and 360° revolving design make it versatile and suitable for all environments. It is mostly requested for terraces and platforms, where the traditional concrete base would limit the useful ground space. The mirror polished stainless steel version is suitable for installation on luxury yachts and modern buildings.






200x300 cm 250x350 cm 300x400 cm 350x450 cm



250x250 cm 300x300 cm 325x325 cm 350x350 cm 400x400 cm



Ø350 Ø350 Ø400 Ø450












# Merlin

The Merlin has a robust vertical 5.5x5.5 inch beam that can support large canopies and thus free space that would otherwise be occupied by a cement base. EdenGarden recommends Split Solution canopies for usage in windy areas. From this year, the Merlin can also be crafted with a 360° rotating base.
















### Gauthier Laterale

With its two inward leaning canopies that join on a central or lateral support the Gauthier creates a large rectangular shadow that can cover a space of up to  $16.5 \times 33$  ft. The Gauthier can also connect with other modular systems, such as the Merlin and the Cosme to cover even irregular spaces. The lateral support version is ideal for covering large tables or buffets.











# Gauthier Centrals

The central post solution leaves the surrounding zone free to access and a concrete base can be used as an elegant table or a sitting bench.

# Standard Optional 250x500 cm 300x600 cm 325x650 cm 450x900 cm 450x900 cm 500x1000 cm









### Gauthier Steel

Gauthier Steel is part of the steel line and represents an evolution of the Gauthier Patio Umbrella. The two umbrellas can be oriented and moved when closed to 'follow' the shade during the day. The entire structure is made of thick galvanized steel and painted in the selected color. The Gauthier Steel has an innovative but simple design. The finely polished AISI 316 stainless steel version of this double patio umbrella is suitable for most exclusive modern environments and luxury yachts.

# Standard Optional 250x500 cm 2x Ø200 300x600 cm 2x Ø250 325x650 cm 2x Ø300 350x700 cm 2x Ø350









### Cosme

The Cosme has four square canopies that each expand to 16.5ft and all together can cover an area of up to 1,089 square feet. The structure commands attention with the finest most sought after trims on the market today. The Cosme is ideal for covering large square spaces and designed to prevent rainwater from seeping between the canopies by use of a special drip-guard linkage system.

# Standard Optional 500x500 cm 600x600 cm 650x650 cm 700x700 cm 800x800 cm 900x900 cm 1000x1000 cm



### **Fabrics Choice**

The fabric is the most important part of any umbrella. This is why at EdenGarden we offer only the best outdoor fabrics available on the market today.

### 10-Veg







### ACRYLIC 100%, 300gr/sqm, made in Spain

Acrylic fabric (100%) is non-decomposable and anti bacterial with a 10 year warranty. The Teflon-treated fabric is water and dirt resistant.



### PVC Precontraint, 590gr/sqm, made in France

100% waterproof, pre-tensioned high dimensional stability, UV resistant, fireproof (2nd class), easy to maintain, durable and tear resistant.

### MICRO AIRED SOLTIS, 400gr/sqm

Outward visibility, micro-ventilated, light, durable and 100% recyclable.





### Ribbon

The final customization touch is the ribbon color, which is available in all listed fabric colors.

### Finishing

### Metal parts vi:

All metal parts are zinc plated and furnace painted in the following RAL colors (choice):



### Ribs (20x40x2mm)


For all umbrellas up to 4x4 m with a Raised Valve the ribs can be wooden or aluminum. All larger umbrellas and Split Solution umbrellas have ribs that are made only of aluminum. The available colors are:


All other colors are available with an extra charge.





		Pole Material choice			
Umbrella Type	Dimension	Iroko	Iron	Stainless Steel	Aluminum
Fanette, Ciak	Ø 50–60mm		<b>~</b>		<b>~</b>
Beale, Kite	Ø 13cm		<b>✓</b>	<b>✓</b>	
Telford	9x9cm	<b>✓</b>	<b>✓</b>	<b>✓</b>	
Echo	9x9cm	<b>✓</b>			
Telford Steel	Ø 60 – 70mm		<b>~</b>	<b>~</b>	
Gauthier Steel	Ø 13cm or 14x14cm		<b>~</b>	<b>~</b>	
Merlin, Gauthier, Cosme	14x14cm	<b>✓</b>	<b>✓</b>		


### Extras






















Large concrete base (250-500-750 kg)







Round concrete base




Ingroud bracket


Small



Large



Wall Bracket (Talento Steel & Gemelli Steel)




Metal frame for air shipping (weights not included)

Small




Large




Weights

Metal plate (60kg) (Fiesole & Ciak)

Small



Large



Size on request

# Package

FANETTE		Component				
Umbrella size (in meters)	2x3; 3x3; 3Ø ; 3,5 Ø	2,5x3,5; 3,5x3,5; 3x4; 4Ø	4x4	5x5		
Package (in cm)	45 Ø x 240	45 Ø x 260	45 Ø x 280	45 Ø x 355cm	canopy	
Weight with package (in kg)	40	45	55	70		
BEALE		2 packages + bas	 5e			
Umbrella size (in meters)	4,5x5,5; 5x5; 5Ø; 5,5Ø	5x6; 6x6m, 6Ø, 7Ø	6x7; 7x7;	8x6		
Package (in cm)	45 Øx410	45 Øx450	45 Øx500	45 Øx520	canopy	
Package (in cm)	50x50x60cm	50x50x60	50x50x60	50x50x60	lower junction	
Weight with package (in kg)	110	130	150	160		
KYLE		3 packages + base				
Umbrella size (in meters)	3x3; 3,5x3,5	4x4; 4,5x4,5	5x5	5,5x5,5; 6x6		
Package (in cm)	50x50x300cm	50x50x330	50x50x360	50x50x400	structure	
Package (in cm)	50x50x60	50x50x60	50x50x60	50x50x60	lower junction	
Package (in cm)	50x40x100	50×40×100	50x40x100	50x40x100	fabric (separated)	
Weight with package (in kg)	160	180	200	220		
COYNE						
Umbrella size (in meters)	SIZE x 250	SIZE x 300	SIZE x 400	SIZE x 500		
Package (in cm)	45 Ø x 240	45 Ø x 260	45 Ø x 280	45 Ø x 355cm	canopy	
Weight with package (in kg)	40	45	55	70		
ECHO						
Umbrella size (in meters)	2x3, 3 Ø	3 packages + bas 3x3, 2,5x3,5, 3,5Ø	3,5x3,5, 3x4, 4Ø	4x4		
Package (in cm)	45 Øx200cm	45 Øx220	45 Øx250	45 Øx300	canopy	
Package (in cm)	15x400x150	15x400x150	15x400x150	15x400x150	arch	
Package (in cm)	50x50x60	50x50x60	50x50x60	50x50x60	lower junction	
Weight with package (in kg)	90	95	100	110		
TELFORD		3 packages + bas	 Se			
Umbrella size (in meters)	2x3, 3 Ø	3x3, 2,5x3,5, 3,5Ø	3,5x3,5, 3x4, 4Ø	4x4 , 3,5x4,5		
Package (in cm)	45 Øx200cm	45 Øx220	45 Øx250	45 Øx300	canopy	
Package (in cm)	15x25x250	15x25x250	15x25x250	15x25x250	poles	
Package (in cm)	50x50x60	50×50×60	50x50x60	50x50x60	lower junction and L junction	
Weight with package (in kg)	90	95	100	110		

TELFORD STEEL	3	Componente			
Umbrella size (in meters)	2x3, 3 Ø	3x3, 2,5x3,5, 3,5Ø	3,5x3,5, 3x4, 4Ø	4x4 , 3,5x4,5	
Package (in cm)	45 Ø x200cm	45 Ø x220	45 Ø x250	45 Ø x300	canopy
Package (in cm)	15x30x180	15x30x180	15x30x180	15x30x180	vertical pole (if needed)
Package (in cm)	10x700x200	10x700x200	10x700x200	10x700x200	Horizontal pole
Weight with package (in kg)	75	80	85	110	
MERLIN		5 packages + b	ase		
Umbrella size (in meters)	4x4; 5Ø	4x5	5x5; 4,5x5,5; 6Ø		
Package (in cm)	45 Ø x270cm	45 Ø x330	45 Ø x390		umbrella
Package (in cm)	10x10x200	10x10x200	10x10x250		
Package (in cm)	15x15x250	15x15x250	15x15x250		vertical pole
Package (in cm)	50x50x80	50x50x80	50x50x80		lower junction and L junction
Weight with package (in kg)	135	145	160		
GAUTHIER CENTRAL & SIDE POST		6 packages + b			
Umbrella size (in meters)	2,5x5; 3x6	3,25x6,5; 3,5x7	4x8	4,5x9; 5x10	
2 x Package (in cm)	45 Ø x250cm	45 Ø x280	45 Ø x330	45 Ø x380	umbrella
Package (in cm)	15x25x250	15x25x250	15x25x300	15x25x360	horizontal poles
Package (in cm)	15x15x250	15x15x250	15x15x270	15x15x300	vertical pole
Package (in cm)	50x50x80	50x50x80	50x50x80	50x50x80	lower junction
Package (in cm)	50x50x80	50x50x80	50x50x80	50x50x80	upper junction
Weight with package (in kg)	190	210	220	250	
GAUTHIER STEEL		4 packages + b	ase		
Umbrella size (in meters)	250x500; 2xØ200; 2x Ø250	3,25x6,5; 3,5x7	4x8		
2 x Package (in cm)	45 Ø x220cm	45 Ø x250	45 Ø x330		umbrella
Package (in cm)	10x70x220	10x70x250	10x70x300		horizontal poles (L shaped)
Package (in cm)	15x15x200	15x15x200	15x15x220		vertical pole
Weight with package (in kg)	175	195	220		·
COSME					
Umbrella size (in meters)	5x5,6x6	9 packages + b 7x7	8x8	9x9, 10x10	
4 x Package (in cm)	45 Ø x250cm	45 Ø x280	45 Ø x330	45 Ø x380	canopy
2 x Package (in cm)	15x25x250	15x25x250	15x25x300	15x25x360	horizontal poles
Package (in cm)	15x15x250	15x15x250	15x15x270	15x15x300	vertical poles
Package (in cm)	50x50x80	50x50x80	50x50x80	50x50x80	upper junction
Package (in cm)	50x50x80	50x50x80	50x50x80	50x50x80	lower junction
Weight with package (in kg)	350	375	420	500	



### **Cocoon Concept Ltd**

Unit F 12/F Gee Tung Chang Industrial Bldg | 4 Fung Yip St | Siu Si Wan | Hong Kong T (852) 2896 0600 | F (852) 2896 0200 info@cocoon-concept.com

WWW.COCOON-CONCEPT.COM