

cocoon concept.

SCI HEATERS COLLECTION





PATENTED PATIO HEATER
SERIES: SH20140H / SH20160H

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model		Power(W)		Height (mm)	Base Diameter (mm)	50cm Stainless Steel Table	Remote Control	Container Loading Qty (PCs)			
CE / GS	ETL / cETL	CE / GS	ETL / cETL					20'GP	40'GP	40'HQ	
SH20140H-2	SH15140H/2	2000	1500	1400	400	○	○	247	509	559	
SH20140HR-2	SH15140HR/2					●	●				
SH20140HT-2	SH15140HT/2					○	○				
SH20140HTR-2	SH15140HTR/2					●	●				
SH20160H-2	SH15160H/2			1600		1600	○	○	216	447	511
SH20160HR-2	SH15160HR/2						●	●			
SH20160HT-2	SH15160HT/2						○	○			
SH20160HTR-2	SH15160HTR/2						●	●			

- Column Heater
- Remote Control (Optional)
- Anodized Extruded Aluminium Alloy Frame & Control Box
- High Efficiency Carbon Fibre Heating Elements
- Stainless Steel Base Cover D=40 cm
- 360 Degree Tip-over Safety Switch
- IP24 Approved



CE/GS: SH20140H-2
ETL/cETL: SH15140H/2



CE/GS: SH20140HR-2
ETL/cETL: SH15140HR/2



CE/GS: SH20160HT-2
ETL/cETL: SH15160HT/2



CE/GS: SH20160HTR-2
ETL/cETL: SH15160HTR/2



PATENTED PATIO HEATER
SERIES: SH16110J / SH1695 / SH1685

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model		Power(W)		Height (mm)	Table Top Diameter (mm)	Base Diameter (mm)	IR Sensing	LED Lighting	Remote Control	Container Loading Qty (PCS)		
CE / GS	ETL / cETL	CE / GS	ETL / cETL							20'GP	40'GP	40'HQ
SH16110J6-2	SH15110J6/2	800/1600	750/1500	1100	600	400	○	○	○	232	493	559
SH16110J6R-2	SH15110J6R/2				700	400				●	○	○
SH16110J7-2	SH15110J7/2					400						
SH16110J7R-2	SH15110J7R/2					400						
SH1695F	SH1595F	1600	1500	950	400	280	○	○	○	208	432	497
SH1695FB	SH1595FB					280	●	○				
SH1695FL	SH1595FL					280	○	●				
SH1695FBL	SH1595FBL					280	●	●				
SH1695G	SH1595G				500	400	○	○		300	620	695
SH1695GB	SH1595GB					400	●	○				
SH1695GL	SH1595GL					400	○	●				
SH1695GBL	SH1595GBL					400	●	●				
SH1685F	SH1585F			850	400	280	○	○		223	478	545
SH1685FB	SH1585FB					280	●	○				
SH1685FL	SH1585FL					280	○	●				
SH1685FBL	SH1585FBL					280	●	●				
SH1685G	SH1585G				500	400	○	○		321	662	749
SH1685GB	SH1585GB					400	●	○				
SH1685GL	SH1585GL					400	○	●				
SH1685GBL	SH1585GBL					400	●	●				

- ❑ Table Heater

❑ Triple IR Sensors (Optional)
Auto Turn-on When People Get Close
Auto Shut-off When People Get Away
- ❑ LED Lighting (Optional)

❑ Remote Control (Optional)

❑ Anodized Extruded Aluminium Alloy Frame

❑ High Efficiency Carbon Fibre Heating Elements
- ❑ Tempered Glass Table Top

❑ Stainless Steel Base Cover D=40 cm

❑ 360 Degree Tip-over Safety Switch

❑ IP24 Approved



CE/GS: SH16110J6R-2




CE/GS: SH1695GBL



CE/GS: SH1685GBL



Stainless Steel
Table Top
(Optional)



Tempered Glass
Table Top



LED Lighting



Carbon Fibre
Heating Element



PATENTED PATIO HEATER
SERIES: SH1475F/SH1475G/SH1675J

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model		Power(W)		Height (mm)	Table Top Diameter (mm)	Base Diameter (mm)	IR Sensing	LED Lighting	Remote Control	Container Loading Qty (PCS)								
CE / GS	ETL / cETL	CE / GS	ETL / cETL							20'GP	40'GP	40'HQ						
SH1675J6-2	SH1575J6/2	1600	1500	750	600	400	○	○	○ ● ○	293	624	685						
SH1675J6R-2	SH1575J6R/2				700								○	○	258	540	615	
SH1675J7-2	SH1575J7/2																	800
SH1675J7R-2	SH1575J7R/2				400	○		○	261	533	617							
SH1675J8-2	SH1575J8/2											500	400	○	○	350	710	
SH1675J8R-2	SH1575J8R/2																	○
SH1475F	SH1475F	1400	1400	750	500	400	○ ● ○ ● ○ ● ○ ●	○	350	710	819							
SH1475FB	SH1475FB																	
SH1475FL	SH1475FL																	
SH1475FBL	SH1475FBL																	
SH1475G	SH1475G																	
SH1475GB	SH1475GB																	
SH1475GL	SH1475GL																	
SH1475GBL	SH1475GBL																	

- ▣ Table Heater

▣ Triple IR Sensors (Optional)
Auto Turn-on When People Get Close
Auto Shut-off When People Get Away
- ▣ LED Lighting (Optional)

▣ Remote Control (Optional)

▣ Anodized Extruded Aluminium Alloy Frame

▣ High Efficiency Carbon Fibre Heating Elements

▣ Tempered Glass Table Top
- ▣ Height: 75 cm

▣ Stainless Steel Base Cover

▣ 360 Degree Tip-over Safety Switch

▣ IP24 Approved





PATENTED PATIO HEATER
SERIES: SH1265

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model	Power(W)	Height (mm)	Table Top Diameter (mm)	Base Diameter (mm)	IR Sensing	LED Lighting	Container Loading Qty (PCS)		
	CE / GS / ETL / cETL						20'GP	40'GP	40'HQ
SH1265E	1200	650	320	280	○	○	351	724	839
SH1265EB					●	○			
SH1265EL					○	●			
SH1265EBL					●	●			
SH1265F			400	280	○	○	293	616	705
SH1265FB					●	○			
SH1265FL					○	●			
SH1265FBL					●	●			
SH1265G			500	400	○	○	209	431	503
SH1265GB					●	○			
SH1265GL					○	●			
SH1265GBL					●	●			

- Table Heater
 - Triple IR Sensors (Optional)
Auto Turn-on When People Get Close
Auto Shut-off When People Get Away
- LED Lighting (Optional)
 - Anodized Extruded Aluminium Alloy Frame
 - High Efficiency Carbon Fibre Heating Element
 - Tempered Glass Table Top
- Stainless Steel Base Cover
 - Height: 65 cm
 - 360 Degree Tip-over Safety Switch
 - IP24 Approved



CE/GS: SH1265ERI



CE/GS: SH1265ERI



CE/GS: SH1265GRI



Stainless Steel
Table Top
(Optional)



Tempered Glass
Table Top



LED Lighting



Carbon Fibre
Heating Element



PATENTED PATIO HEATER
SERIES: SH0760D

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model		Power(W)		Height (mm)	Base Diameter (mm)	Container Loading Qty (PCS)		
CE / GS	ETL / cETL	CE / GS	ETL / cETL			20'GP	40'GP	40'HQ
SH0760D-1	SH0760D-1	700	700	600	280	466	966	1133
/	SH0965D-1	/	900	650		447	916	1031
SH1090D-1	SH1290D-1	1000	1200	900		331	687	773
SH2090D-1	/	2000	/	900	400	227	461	524
SH2090D-2	/	1000/2000	/					

- ☐ Portable Patio Heater


☐ Anodized Extruded Aluminium Alloy Frame
- ☐ High Efficiency Carbon Fibre Heating Elements

☐ Stainless Steel Base Cover
- ☐ 360 Degree Tip-over Safety Switch

☐ IP24 Approved



CE/GS: SH0760D-1



CE/GS: SH1090D-1



CE/GS: SH2090D-2



Control-Box
With Handle



Carbon Fibre
Heating Element



PATENTED PATIO HEATER
SERIES: SH110CV/SH130CV

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model	Power(W) CE / GS	Height (mm)	Base Diameter (mm)	Container Loading Qty (PCS)		
				20'GP	40'GP	40'HQ
SH16110CV-1	1600	1100	280	489	1031	1161
SH16110CVR-1						
SH16110CV-2	800/1600	1100	280	489	1031	1161
SH16110CVR-2						
SH20130CV-2	1000/2000	1300	280	419	881	998
SH20130CVR-2						

- Portable Patio Heater
- Anodized Extruded Aluminium Alloy Housing
- High Efficiency Carbon Fibre Heating Elements
- Stainless Steel Base Cover
- 360 Degree Tip-over Safety Switch
- IP55 Approved



CE/GS: AH16110CV-1



CE/GS: AH16110CVR-1



CE/GS: AH16110CV-2



CE/GS: AH16110CVR-2



CE/GS: AH20130CV-2



CE/GS: AH20130CVR-2



PATENTED PATIO HEATER
SERIES: AH18CP

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model		Power(W)		Product Dimensions (mm)			Remote Control	Container Loading Qty (PCS)		
CE / GS	ETL / cETL	CE / GS	ETL / cETL	W	D	H		20'GP	40'GP	40'HQ
AH18CP	AH15CP	1800	1500	960	160	150	○	683	1509	1639
AH18CPR	AH15CPR						●			
AH24CP	/	2400	/	1240	160	150	○	603	1207	1311
AH24CPR	/						●			
AH32CP	/	3200	/	1615	160	150	○	468	953	1031
AH32CPR	/						●			

- ▣

Ceiling & Wall Mounting Patio Heater
- ▣

Remote Control (Optional)
- ▣

Anodized Extruded Aluminium Alloy Housing
- ▣

Far Infrared Aluminium Heating Panel
- ▣

High Rated Aluminium Reflector
- ▣

IP24 Approved



CE/GS: AH18CPR
ETL/cETL: AH15CPR



CE/GS: AH24CPR



CE/GS: AH32CPR



CE/GS: AH18CP
ETL/cETL: AH15CP



CE/GS: AH24CP



CE/GS: AH32CP



cocoon
concept.

PATENTED PATIO HEATER SERIES: AH18CC

SPECIFICATIONS DETAILS SUCH AS FORM

Model		Power(W)		Product Dimensions (mm)			Remote Control	LED Lighting	Container Loading Qty (PCS)		
CE / GS	ETL / cETL	CE / GS	ETL / cETL	W	D	H			20'GP	40'GP	40'HQ
AH18CC	AH15CC	1800	1500	740	162	150	○	○	1020	2060	2310
AH18CCR	AH15CCR						●				
AH18CCL	AH15CCL			860	162	150	○	●	890	1810	2030
AH18CCLR	AH15CCLR						●				

- ▣ Ceiling & Wall Mounting Patio Heater
- ▣ Remote Control (Optional)
- ▣ LED Lighting (Optional)
- ▣ Anodized Extruded Aluminium Alloy Housing
- ▣ High Efficiency Carbon Fibre Heating Elements
- ▣ High Rated Aluminium Reflector
- ▣ IP24 Approved



CE/GS: AH18CC
ETL/cETL: AH15CC



CE/GS: AH18CCR
ETL/cETL: AH15CCR



CE/GS: AH18CCL
ETL/cETL: AH15CCL



CE/GS: AH18CCLR
ETL/cETL: AH15CCLR



SPECIFICATIONS

DETAILS SUCH AS

FORM

Model		Power(W)		Product Dimensions (mm)			Remote Control	LED Lighting	Container Loading Qty (PCS)		
CE / GS	ETL / cETL	CE / GS	ETL / cETL	W	D	H			20'GP	40'GP	40'HQ
AH18CS	AH15CS	1800	1500	650	410	1850	○	○	313	624	730
AH18CS-SS	AH15CS-SS						●				
AH18CSR	AH15CSR						○				
AH18CSR-SS	AH15CSR-SS			890	410	1850	○	●	241	489	557
AH18CSL	AH15CSL						●				
AH18CSL-SS	AH15CSL-SS						●				
AH18CSLR	AH15CSLR	1800	1500	650	410	1850	○	○	313	624	730
AH18CSLR-SS	AH15CSLR-SS						●				

- ☐ Stand Patio Heater

☐ Remote Control (Optional)

☐ LED Lighting (Optional)

☐ Anodized Extruded Aluminium Alloy Housing

☐ High Efficiency Carbon Fibre Heating Element

☐ Engergy Saving LED Lightings (Optional)

☐ High Rated Aluminium Reflector

☐ Cable Clips on Stand Poles

☐ Height Adjustable

☐ Tip-over Safety Switch

☐ IP24 Approved





cocoon
concept.

PATENTED PATIO HEATER SERIES: AH18CW

SPECIFICATIONS DETAILS SUCH AS FORM

Model		Power(W)		Product Dimensions (mm)			Remote Control	LED Lighting	Container Loading Qty (PCS)		
CE / GS	ETL / cETL	CE / GS	ETL / cETL	W	D	H			20'GP	40'GP	40'HQ
AH18CW	AH15CW	1800	1500	650	215	245	○	○	690	1407	1583
AH18CWR	AH15CWR			890	215	245	●	●	515	1047	1777
AH18CWL	AH15CWL						○	○			
AH18CWLR	AH15CWLR						●	●			

- Wall Mounting Patio Heater
- Remote Control (Optional)
- LED Lighting (Optional)
- Anodized Extruded Aluminium Alloy Housing
- High Efficiency Carbon Fibre Heating Element
- High Rated Aluminium Reflector
- Secure Locking System
- IP24 Approved



CE/GS: AH18CWL
ETL/cETL: AH15CWL



CE/GS: AH18CW



CE/GS: AH18CWLR
ETL/cETL: AH15CWLR



CE/GS: AH18CWR



PATENTED PATIO HEATER
SERIES: AH20A

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model	Power(W)	Product Dimensions (mm)			Style	Remote Control	Container Loading Qty (PCS)		
CE / GS	CE / GS	W	D	H			20'GP	40'GP	40'HQ
AH20AW	2000	480	215	265	Wall Mounting	○	950	1964	2236
AH20AWR						●			
AH20AS						○			
AH20ASR		480	410	1900	Floor Standing	●	508	1058	1180
AH20AS-SS						○			
AH20ASR-SS						●			

- Wall Mounting / Floor Standing Patio Heater
 - Remote Control (Optional)
 - 3 Quartz Heating Elements
- 3 Power Settings
 - High Temp Resistance Painted Front Mesh
 - High Rated Aluminium Reflector
- Secure Locking System
 - IP24 Approved



CE/GS: AH20AW



PATENTED ELECTRIC HEATER
SERIES: INDOOR COMFORT

SPECIFICATIONS
DETAILS SUCH AS
FORM

Model		Power(W)		Product Dimensions (mm)			Container Loading Qty (PCS)		
CE / GS	ETL / cETL	CE / GS	ETL / cETL	W	D	H	20'GP	40'GP	40'HQ
SH1280V	SH0980V	1200	900	285	285	815	423	895	1007
SH01K	SH01K	70	70	330	330	45	2970	6726	7110

- ❑ Tower Heater
- ❑ High Efficiency Carbon Fibre Heating Elements
- ❑ Two Power Settings
- ❑ Function: 60 Degree Oscillation
- ❑ 360 Degree Tip-over Safety Switch
- ❑ Overheat Protection

- ❑ Foot Warmer
- ❑ S/S Warming Plate with Foot Massage Bump
- ❑ Electronic Control
- ❑ 5 Power Settings
- ❑ Overheat Protection
- ❑ Auto Switch Off after 9 Hours' Use



CE/GS: SH1280V
ETL/cETL: SH0980V



CE/GS: SH01K
ETL/cETL: SH01K

Cocoon Concept Ltd

Unit F 12/F Gee Tung Chang Industrial Bldg | 4 Fung Yip St | Siu Sai Wan | Hong Kong

T (852) 2896 0600 | F (852) 2896 0200

info@cocoon-concept.com

WWW.COCOON-CONCEPT.COM