



CORDLESS TABLE LAMP PRODUCT CATALOG

cocoon
concept.



Aluminum Table Lamp

The new generation of wireless charging lamps evolved from our classic desktop lamps that have been tested by the market. The same design style has grown with the times and formed a new generation of design style. It is calm and elegant, suitable for different occasions.



17T5
Aluminum



18B1
Aluminum



18B2
Aluminum



18B3
Aluminum



18B4
Aluminum



19A1
Aluminum



19A2
Aluminum



19A3
Aluminum



19A4
Aluminum



19A5
Aluminum



22A1
Aluminum



22A2
Aluminum



22A3
Aluminum



22A4
Aluminum



22A5
Aluminum

Aluminum Table Lamp series



22A6
Aluminum



22A7
Aluminum



22A8
Aluminum



24A8
Aluminum



26D6
Aluminum



25A1
Aluminum



25A3
Aluminum

Aluminum Table Lamp series




Aluminum Table Lamp series



Multivariant style

Different base and lamp body can be combined and matched at will



Product Performance

- Wireless intelligent charging system
- Aluminum alloy body & Waterproof
- Interchangeable shades & bases
- Built-in charging indicator & Battery indicator
- Bluetooth remote controller
- Waterproof for Indoor and Outdoor use



Light Color



RGB



WarmWhite 2700K



WarmWhite 4000K

Aluminum Table Lamp series





Multivariant style

Different base and lamp body can be combined and matched at will



Charging Base

Wireless charger, inductive charging system avoids bothersome wiring. Just place lamps on the charger.
Stable and efficient IC control ensure built-in battery to work smoothly.
The indicator light inside the lamp will turn from red to green when fully charged.

-  Red indicator shows the charging status
-  Green indicator shows the fully-charged status



Aluminum Table Lamp series



19A1

D100mm * H255mm



19A2

D100mm * H215mm



19A3

D100mm * H225mm



19A4

D100mm * H215mm



19A5

D100mm * H195mm

Aluminum Table Lamp series



25A3

D110mm * H155mm



25A1

D105mm * H155mm



Aluminum Table Lamp



Aluminum Alloy Tamp Lamp

Aluminum alloy series, to meet the needs of outdoor space use, the overall lightweight design, more internal space installation of large-capacity battery, durable lighting time, reduce outdoor business, found the need to charge the awkward situation, and modular quick replacement installation, is designed for outdoor occasions romantic lamp.



Product feature

Replaceable electronic corn enables quick and easy repair.

Tips:

The above images are only examples, please focus on actual products



Instruction for Remote Control


High-quality LED Source
Luminous Efficacy 130lm/w
Lifespan 50,000hrs



Li-ion Battery Electronic control unit

Wireless charging induction coil

Built-in Li-ion Battery



ON/OFF

Battery indicator

Charging positioning

Handle

Aluminum Table Lamp series



Aluminum Table Lamp Catalog



12B1
Aluminum



12C1
Aluminum



12B2
Aluminum



12B3
Aluminum



12B4
Aluminum



13T1
Aluminum



13T2
Aluminum



14C1
Aluminum



14B3
Aluminum



14D6
Aluminum



15C1
Aluminum



15B3
Aluminum



15C3
Aluminum



15C4
Aluminum



15H3
Aluminum

Aluminum Table Lamp series



Aluminum Table Lamp Catalog



27H3
Aluminum



27D6
Aluminum



27D7
Aluminum



20C1
Aluminum



20B2
Aluminum



20B3
Aluminum



20B4
Aluminum

Aluminum Table Lamp series



12B1

D100mm * H250mm



12C1

D110mm * H250mm



12B2

D100mm * H250mm



12B3

D100mm * H250mm



12B4

D100mm * H250mm

Aluminum Table Lamp



13T1

D100mm * H280mm



13T2

D110mm * H280mm



14C1

D100mm * H330mm



14B3

D100mm * H300mm



14D6

D120mm * H280mm



Aluminum Table Lamp



15H3

D110mm * H170mm



15C3

D110mm * H170mm



15C4

D110mm * H170mm



15C1

D110mm * H180mm



15B3

D110mm * H170mm

Aluminum Table Lamp



20C1

D100mm * H230mm



20B2

D100mm * H230mm



20B3

D100mm * H230mm



20B4

D100mm * H230mm



Aluminum Table Lamp



Stainless steel series

Minimalist design, without too much embellishment, more beautiful lines. This table lamp is made of stainless steel, the texture is clearly visible, and it shows a rustic and natural atmosphere. It supports the combination of touch switch and wireless control, which is very convenient and quick to use.

Stainless steel series



21C1

D110 * H260
Stainless steel



21C2

D110 * H240
Stainless steel



21C3

D110 * H240
Stainless steel

Stainless steel series

Stainless steel series



21D6

D110 * H230
Stainless steel



21H3

D110 * H240
Stainless steel

Stainless steel series



23D6

D120*245mm
Stainless steel

23D7

D120*245mm
Stainless steel

Stainless steel series



23H3

D155*245mm
Stainless steel

Stainless steel series



Remote controller

Bluetooth 5.0



Pure natural stone lamp

The use of natural stone hollowed out production, light after the lines are unique, warm light irradiation, is the harmony of modern design and nature.



Pure natural stone

Remote controller

Bluetooth 5.0



406
Pure stone lamp



407
Pure stone lamp



408
Pure stone lamp



409
Pure stone lamp



410
Pure stone lamp



411
Pure stone lamp

Pure natural stone



406

D80mm * H130mm



407

D80mm * H130mm



408

D120mm * H115mm



409

D120mm * H115mm



410

D120mm * H70mm



411

D120mm * H70mm

Pure natural stone




Glass table lamp

Unique shape and long life design, making the glass desktop lamp series become our best-selling, modular design makes the series maintenance fast advice, with a variety of charging schemes, so that you can use in business occasions handy.



Glass table lamp

Different base and lamp body can be combined and matched at will



High-quality LED Source

- Long Lifetime more than 50,000 hours
- Luminous Efficacy 130lm/w

Built-in Li-ion Battery



- lasting upto 24 hours one charge
- charging time:8 hours
- Life cycle:500 times

Waterproof



Installation tools

Modular design can be quickly replaced maintenance, easy to use.



Glass table lamp

Wood table lamp



201
Wood



202
Wood



203
Wood



204
Wood



205
Wood



206
Wood



207
Wood



208
Wood



209
Wood



212
Wood



213
Wood



214
Wood



215
Wood

wood table lamp

Glass table lamp



301
Glass



303
Glass



304
Glass



305
Glass



306
Glass



307
Glass



308
Glass



309
Glass



310
Glass



311
Glass



324
Glass



325
Glass



326
Glass



327
Glass



329
Glass



341
Glass



342
Glass



343
Glass



344
Glass



Vase
Glass

Glass table lamp

Glass table lamp



345
Glass



346
Glass



347
Glass



357
Glass



358
Glass



359
Glass



348
Glass



349
Glass



350
Glass



353
Glass



354
Glass



355
Glass



356
Glass



360
Glass



361
Glass

Glass table lamp

Table lamp



401
Stone



402
Stone



403
Stone



404
Stone



406
Stone



501
PE



502
PE



503
PE



504
PE



701
Metal & Plastic



702
Metal & Plastic

Table lamp



204
D83mm * H126mm



205
D80mm * H125mm



206
D85mm * H70mm



207
D85mm * H70mm



208
D90mm * H127mm



209
D85mm * H127mm



212
D110mm * H150mm



213
D110mm * H150mm



214
D80mm * H130mm



215
D80mm * H136mm

Wood Table lamp



Wood Table lamp

Glass table lamp



Lighting effect

4 brightness dim level




Color temperature



Charging base option:

Multiple charging options



Remote controller

IR Remote



Feature

RGBW & 12 colours optiona

4 light modes

Water resistant (Ip54)

301

D80 * H145mm



303

D80 * H145mm



Glass table lamp

Glass table lamp



308
D80mm * H130mm



309
D80mm * H130mm



310
D80mm * H130mm



311
D80mm * H130mm



307
D80mm * H130mm



304
D86 * H130mm



305
D80 * H130mm



306
D84 * H130mm

Glass table lamp

Glass table lamp



341

D80mm * H140mm



342

D113mm * H195mm



343

D110mm * H165mm



344

D100 mm * H145 mm



324

D114mm * H95mm



325

D110mm * H100mm



326

D110mm * H115mm



327

D115mm * H95mm



Glass table lamp



329
Glass



345

D83mm * H173mm

346

D83mm * H158mm

347

D83mm * H172mm

357

D87mm * H183mm

358

D96mm * H155mm

359

D110mm * H150mm



348

D83mm * H138mm



349

D88mm * H164mm



350

D85mm * H148mm



351

D85mm * H105mm

Glass table lamp



354
D110 mm*H163 mm

355
D110 mm*H163 mm

356
D110 mm*H163 mm

353
D10 mm*H163 mm



Glass table lamp



401
D90mm * H163mm



402
D90mm * H163mm



403
D90mm * H163mm




404
D84 mm*H152 mm



406
D90 mm*H135 mm

Glass table lamp



501
D100mm * H220mm




502
D100mm * H160mm



503
D100mm * H158mm



504
D113mm * H130mm





701
D75mm * H143mm



702
D75mm * H135mm

Remote controller

IR Remote



Lighting effect

4 brightness dim level



25%



50%



75%



100%

Color temperature



6000K



4300K



3000K

Atmosphere lights

The unique lighting experience makes every moment brighter and more welcoming.

Comfortable and soft lighting for use with excellent lighting duration thanks to efficient power management solutions, designed for commercial environments, equipped with a variety of charging solutions, easy to use.

Atmosphere lights

M10 – C06

65 mm*65 mm*(H)115 mm
Glass
370g



M10 – C07

50 mm*50 mm*(H)115 mm
Glass
370g



M10 – C10

50 mm*50 mm*(H)115 mm
Glass
370g



Feature

RGBW & 12 colours optiona
4 brightness dim level
4 light modes
Water resistant (Ip54)
Wireless charging

Charging





Surface Color



Nickel



Antique Copper



Black

Standard Finishes Surface Color
These colors are the most popular in the market



Chrome



Champagne Gold



Silver



Antique Brass



Cooper



Gold



Rose Gold



White

Customized Finishes Surface Color
Depending on the occasion and match, it is more tasteful to use unique colors

Charging Base

Our product adopts a wireless charging system, which is convenient and fast, solving commercial application problems.

Charging Base – 2 Ports & Linkable 8set

- ⚡ Wireless Qi intelligent charging system
- 📏 (L)260mm * (W)130mm * (H)25mm
- 🏠 Engineering plastics
- 🔌 5V-2A

Linkable

- 📏 (L)1040mm * (W)130mm * (H)25mm
- 🔌 5V-8A



- Red indicator shows the charging status
- Green indicator shows the fully-charged status

Charging Base – 24 Ports & M4


- ⚡ Wireless Qi intelligent charging system
- 📏 (L)660mm * (W)310mm * (H)750mm
- 🏠 Engineering plastics
- 🔌 5V-24A



- ⚡ Wireless Qi intelligent charging system
- 📏 (L)710mm * (W)440mm * (H)880mm
- 🏠 Engineering plastics
- 🔌 12V-12A



Remote control mode



Bluetooth 5.0



Instruction for Remote Control



ON and OFF of the cordless Lamps

Connect the code : long press the ON button for more than 3 seconds
Disconnect the code : long press the OFF button for more than 3 seconds



Adjust the brightness

level to 25%, 50%, 75%, 100%.



Color temperature

7000K, 6000K, 4300K, 3000K.



Colors selection

12 standard colors



Flash modes

Streamer shine mode
full gradient mode



Increase or decrease the color temperature,

Short press is piecewise
Long press is gradual



Increase or decrease the brightness

Short press is piecewise
Long press is gradual



Control 4 groups

at the same time
(A, B, C, D)



4 groups

When the light is on, press one of the buttons of ABCD for 3 seconds,
and the light blinks 3 times: indicates that the group is matched successfully



Scene shortcut key

short press is call the scenes which stored before
long press is storing the currently scene.



20% brightness

warm white.



Timer

automatic cycle switch for 8 hours on and 16 hours off.



Remote control mode

Bluetooth 5.0



Instruction for Remote Control

ALL

Control 4 groups

In ALL mode, you can control all groups at the same time, including matched lights. In this mode, all lights are controlled in a unified manner.



Single group control mode

In group mode, please make group matching first, press A/B/C/D after completion, you can control the corresponding light group, then use color temperature control, brightness control, color control will only change the lighting effect of the light group.




Disconnect control

If you want to disconnect the code of "A" group, please press "A" and ensure that all lights of the group are on, long press "OFF" for more than 3 seconds, then the light flashes 3 times, indicating that the light of "A" group has disconnected the code with the remote control.

If you want to disconnect the code of all groups, please press the "all" key and ensure that all the lights of all groups are on, long press the "OFF" key for more than 3 seconds, then the lights of all groups blink 3 times, indicating that the lights of all groups have been disconnected with the remote control code.

Tips

Remote control mode



Instruction for Remote Control

